

Food Premises - How to get started and what you need to know

Listed below you will find the steps you need to take before operating a food premises. For a temporary food stall or mobile food business please refer to the relevant information sheets. If you wish to operate from home please contact us on (03) 6323 3000.

Operating from an Existing Food Premises	If you are intending to operate from an existing food premises you may apply to the Council for a pre-purchase inspection and report. The premises must be suitable for the type of food handling you intend on conducting. Registration is not transferable and you must obtain your own registration from the Council before you commence trading.
Approvals Required for New Food Premises and Alterations to Existing Food Premises	You may need four different approvals from the Council <ul style="list-style-type: none"> • Town Planning • Building • Plumbing • Health
Town Planning Requirements	You may require planning permission before proceeding any further. For planning information please phone us on (03) 6323 3000.
Building and Plumbing Requirements	<ul style="list-style-type: none"> • Permits are needed to fit-out or alter a commercial food premises. You will need to submit a floor plan and elevation plans, drawn by an accredited building designer, to a Building Surveyor. Information about surface finishes, ventilation and construction of fixtures and fittings must be included along with details of the types of food/drinks/liquor you intend to manufacture and/or sell. • The Building Surveyor will refer the plans to one of our Environmental Health Officers for assessment and a report. • When the plans are satisfactory applications for building and plumbing permits may then be made to the Council.
Inspection	When the building work is complete you can apply to your Building Surveyor for an Occupancy Permit. The Building Surveyor will request an inspection and report from the Environmental Health Officer. Plumbing work must be inspected by a Plumbing Surveyor. When satisfied, the Building Surveyor will issue the Occupancy Permit.
Registration of a Food Business	Having obtained an Occupancy Permit and before you begin to trade you must obtain a food business registration from the Council. This registration must be renewed on expiry each year.
Cancellation	The Council may cancel your registration if any terms or conditions are not complied with.
Notification	If you do not intend to store or sell potentially hazardous food you will not be required to register but you must fill in a food business notification form.

Fit-out Requirements

All construction within the premises must be in accordance with the National Construction Code. Australian Standard *AS 4674-2004 Design, construction and fit-out of food premises* may also assist your designer. Things to consider:-

Accessibility Requirements	Accessible entry and facilities may be required. Your Building Surveyor will determine what is required.
-----------------------------------	--

Kitchens/Serveries/Food Storage Areas

Walls and Ceilings	Walls and ceilings must be suitable for the activity that is carried out in that part of the premises. The general rule is they must be sealed to prevent the entry of dirt, dust and pests, be impervious to grease, food particles and water, be able to be easily and effectively cleaned and be finished in a light colour.
Floors	Floors need to be suitable for the activity to be carried out in that part of the premises. They must be able to be effectively cleaned, be impervious to grease, food particles and water, be laid to prevent ponding and as far as practicable, be unable to provide harbourage to pests. Coving (75mm minimum) at floor and wall/plinth junctions is required to facilitate ease of cleaning.
Cupboards	Cupboards should be either:- <ul style="list-style-type: none"> • free standing on metal legs at a height that allows ease of cleaning of the floor below; • braced or cantilevered from the walls at a height that allows ease of cleaning of the floor below; or • placed directly onto a concrete plinth.
Benches/Shelves	Benches and shelves are to be of a smooth, durable and impervious finish and constructed like cupboards above.
Splashbacks	Behind all sinks, wash basins and work benches an impervious splashback is required. Splashbacks must be of adequate height and of suitable type. A splashback height of at least 450mm is recommended.
Food and Equipment Storage	Adequate storage space for equipment, utensils and food is required.
Heavy Items (fridges, freezers, cooking equipment etc)	For cleaning reasons heavy items must be :- <ul style="list-style-type: none"> • easily moveable (ie on castors); or • on legs high enough to allow ease of floor cleaning. • Cooking equipment should be installed with flexible connections.
Food Preparation Sink	A designated sink for food preparation is required if food preparation on the premises requires a sink (eg salad washing).
Dishwashing Sinks	Minimum requirement as a general rule is:- <ul style="list-style-type: none"> • Suitably sized double bowl stainless steel sink (to accommodate the largest item to be washed) with integral splashback, drainer and surrounds; • supply of hot and cold water.
Dishwashers and Glass Washers	A sanitizing dishwasher and/or glass washer may be required.

Hand Washbasins	Hand washbasins are required within five metres of any activity where hands are likely to be a source of contamination. Depending on the layout of the premises more than one washbasin may be required. Washbasins must have a capacity of at least 11 litres and provide not less than 250mm between the spout and the bottom of the basin. Each washbasin must be supplied with hot and cold water through a common outlet. Facilities for soap and single use towels in dispensers are to be located close by.
Cleaner's Sink and Cleaning Equipment Storage	A cleaner's sink with hot and cold running water is required in a convenient location and depending on the layout of the premises more than one may be required. It must be separate from food storage and handling areas. Provision for storage of cleaning compounds and equipment is also required.
Ventilation	Natural or mechanical ventilation is required in all premises. An exhaust canopy that complies with Australian Standard AS1668.2 may be required above cooking equipment. Sufficient flow of make-up air must be considered.
Lighting	Lighting must comply with AS 1680.1 and AS/NZS 1680.2.4 or equivalent. In areas where open food is handled or stored light fittings must be free from any features that would harbour dirt, dust or insects or make it difficult to clean and must be constructed to contain the globe or tube should it shatter.
Pest Control	All opening windows, doors and vents must be pest-proofed. This can be achieved by:- <ul style="list-style-type: none"> • self-closing or pest-screened external doors; • the installation of pest-proof flashings to doors; • mesh screens on opening windows and other ventilation openings; • heavy plastic door strips; • air curtains over openings used to serve customers outside the premises.

Cool Rooms and Freezer Rooms

Floor	A solid concrete plinth graded to a drain outside the door covered with:- <ul style="list-style-type: none"> • non-slip approved material; and • coved at wall to floor junctions.
Walls and Ceiling	Smooth, durable and capable of being easily cleaned.
Shelving	Any impervious material that is capable of being easily cleaned and is appropriate for the environment.
Condensation	Drainage from cooling units must be drained to a trapped outlet outside the chamber.
Service Pipes	If exposed, service pipes must be fixed on brackets to provide clearances of not less than 25mm from the wall and 100mm from the floor.
Lighting	As per lighting requirements above.

Staff and Customer Amenity

Staff Toilets	Please check with your Building Surveyor about the number of staff toilets you will require.
Customer Toilets	Toilets for customers are not always required. Please check with your Building Surveyor about customer toilet requirements for your proposal. NB Access to customer toilets must not be via any food preparation or storage areas.
Hand Washbasins	The number of hand basins required will depend upon the number of toilets you require.
Change Rooms	Change rooms for staff may be required. Please check with your Building Surveyor.
Storage of Personal Belongings	Lockers or other safe storage for staff's personal belongings and street clothes is to be provided separate from food processing and storage areas.

Miscellaneous

Separation of Workplace	Food processing and storage areas must be separated from sanitary facilities, laundries, living quarters, bathrooms, garages and rooms where animals are housed by another room, a hallway or an airlock.
Fire-fighting equipment	Fire-fighting equipment of a particular type and located in positions approved by the Tasmania Fire Service may be required.
Trade waste	Adequate, pest proof storage facilities for garbage located in a separate area or room which is paved and graded to a suitable drainage system is required. There must be a supply of water under pressure and the area must be easily cleanable. Adequate arrangement for the disposal of waste must also be made. Note:- Waste from food premises is excluded from the CBD bag collection service.
Drainage	A grease trap may be required by TasWater. A grease trap cannot be located in a room used for food preparation or storage. All drainage works are to be approved by the Council's Plumbing Surveyor.
Sale of Liquor	If you wish to sell liquor you will also require permission from the State Liquor and Gaming Branch of the Department of Treasury and Finance.
On-Street Dining	Approval from Council is required if you wish to use a portion of the footpath or road reserve for on-street dining.

These notes have been prepared to assist you in developing your food premises. They are not an "official" interpretation of the legislation and may alter at any time.

For further information please contact us on (03) 6323 3000.

PURPOSE

To assist the public with understanding food premises requirements.

SCOPE

The General Public

RELATED POLICIES & PROCEDURES

N/A

DOCUMENT INFORMATION

Reference number	10-Rfx-030	
Version	16/05/2019	
Review	16/05/2020	
Key function	Environment and Public Health	
System		
Document type	External Factsheet	
Responsible Directorate	Development Services	
Approved by	Manager Health & Compliance	
Action Officer	Erica McCarthy	
Text search key words	Food health premises	
To be communicated to <i>(To be identified by Approver)</i> (Insert ✓ in relevant row)	✓	Department/Area only
		Directorate via Director and Managers
		Specific Areas: •
		Organisation-wide
	✓	Website
	Intranet (via a link)	
Hard copy distribution	N/A	